



# SUNTUF® / SunSky®

Corrugated Polycarbonate Sheet

---












## Profile Catalog












---

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
1	100	250/40 Industrial	1000 (39.4")	250	40	
2	101	Trapeze 250/40	1000 (39.4")	250	40	
3	200	HP 207/35 E35D	1035 (40.7")	207	34	
4	201	SAB 40/915 HP 40/183 E40D TR40S	915 (36")	183	40	
5	202	HP 35/207 E35 SAB 35 1035/35	1035 (40.7")	207	35	
6	304	Trapeze 275/30	1100 (43.3")	275	30	
7	400	CM204-30	1020 (40.2")	204	30	
8	401	CM204-30 M	1021 (40.2")	204.2	30	
9	402	CM 40/964	964 (38")	241	40	
10	600	LCS\TNI-0600	1070 (42.1")	214	28	
11	800	LCS\TNI-0800	1000 (39.4")	333.3	42	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
12	900	LCS\TVI-0900	1000 (39.4")	333.3	38	
13	1100	Trapeze 112/27.5 28/1011	896 (35.3")	112	27.5	
14	1200	Trapeze 200/32	1000 (39.4")	200	32	
15	1300	Trimdek 187.5/24	750 (29.5")	187.5	24	
16	1400	LCS\TVI-1400	1000 (39.4")	333.3	39	
17	1500	Abonos	720 (28.3")	144	25.4	
18	1600	Nito	1022 (40.2")	146	23.5	
19	1800	Proclad 32/1000	1000 (39.4")	200	32	
20	2011	SAB 40/915	915 (36")	183	40	
20	2200	Trapeze 250/40	1000 (39.4")	250	40	
21	2300	Trapeze 196/40	980 (38.6")	196	40	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
22	2400	IBR 171.5/37	686 (27")	171.5	37	
23	2600	TR-4	955 (37.6")	320, 315	43.4	
24	2800	Trapeze 333.3/44	1000 (39.4")	333.3	44	
25	2900	Amanco	1000 (39.4")	333, 334	35	
26	3100	Multi Rib Panel	914 (36")	304.8	31.75	
27	3200	Trapeze 265/30.3	1060 (41.7")	265	30.3	
28	3300	AR-PANEL	914 (36")	229	16	
29	3500	Trapeze 250/40	1000 (39.4")	250	40	
30	3600	Coverib 1000	892 (35.1")	297.5	37	
31	3700	3.333.39T	1000 (39.4")	333.3	38	
32	3701	3.333.39T	1000 (39.4")	333.3	38	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
33	3800	M 250/50	1000 (39.4")	250	48	
34	4000	Arcelor	1000 (39.4")	333.3	45	
35	4100	Day Brazil	1020 (40.2")	255	40	
36	4303	Interfibras	1000 (39.4")	250	35	
37	4600	Trapeze 193.2/32	773 (30.4")	193.2	32	
38	5000	Fielders Trimdek 190/26	760 (29.9")	190	26	
39	5100	333/50 i	1000 (39.4")	333.3	50	
40	5200	200-32 i	1000 (39.4")	200	32	
41	5300	LP-1000	1000 (39.4")	166.6	19	
42	5400	Uni-Rib	912 (35.9")	304	22.5	
43	5500	PMF 32/1000 VH 200.32.P	1000 (39.4")	200	32	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
44	5500R	PMF 32/1000 VH 200.32.P	1000 (39.4")	200	32	
45	5600	200/25F	1000 (39.4")	200	25.4	
46	5700	Trapeze 12/1 i	914 (36")	304.8	25.4	
47	5800	Metecho P1000-G4	1000 (39.4")	333.3	42	
48	5900	Formaclad 166/32 i	1000 (39.4")	166.7	32	
49	6000	Perfil Termacustico	730 (28.7")	146	26	
50	6010	Klauer Frontier	914 (36")	228.6	17.6	
51	6040	TATA Bluescope Trimdek	1015 (40")	203	28.5	
52	6050	Stormtuf	914 (36")	152.4	57	
53	6060	Stabilit P55	870 (34.3")	174	54	
54	6070	Arkos 210-23-1134	1050 (41.3")	210	23	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
56	6080	MR-24	480 (18.9")	480	47.3	
57	6090	Cannonball - USA	466.7 (18.4")		24.4	
58	6100	Cindu - Guatamala	790 (31.1")	197.5	34	
59	6110	Mivne Darom - Top Panel	960 (37.8")	240	35	
60	6120	Viner Industries	990 (39")	330	36	
61	6130	DVP PV6	910 (35.8")	174, 194	50	
62	6140	Isopan 250/40	1000 (39.4")	250	39	
63	6150	4.265.27B Haironville	1060 (41.7")	265	25	
64	6160	Cobacier 1004	1000 (39.4")	250	40	
62	6170	Albani-e-Ruggieri 310	1240 (48.8")	310	45	
66	6171	De Filippo Main	1242 (48.9")	310.5	55	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
67	6172	De Filippo Side	1142 (45")	310.5 210.5	45	
68	6180	Quedron 1067 20C	1067 (42")	152.4	20	
69	6190	Varco Pruden	1028 (40.5")	342.8	30.2	
70	6200	Perflex 336x45	1010 (39.8")	336.7	45	
71	6210	112/28	896 (35.3")	112	28	
72	6220	Nervesco 1000TS	1000 (39.4")	333.3	45	
73	6230	166-25	996 (39.2")	166	25	
74	6240	178-40	890 (35")	178	40	
75	6250	257-38	1028 (40.5")	257	38	
76	6260	Nergal 1000	1000 (39.4")	333.3	45	
77	6270	Liting 158/38	1106 (43.5")	158	37	



#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
78	6280	Hi Rib Tracedek	1008 (39.7")	252	28	
79	6290	Twinrib	700 (27.6")	191.2	52	
80	6300	Sflok Saf 700	700 (27.6")	233	40	
81	6310	Mau Tole Song Cliplock	969 (38.1")	323	40	
82	6320	Isocopre	1000 (39.4")	200	38	
83	6330	DV4	984 (38.7")	328	40	
84	6340	39/180	900 (35.4")	180	39	
85	6350	Perfil 40	1000 (39.4")	250	40	
86	6360	12/0.875	914 (36")	304.8	22.2	
87	6370	E36 KD	1000 (39.4")	250	36	
88	6380	S Profile	1000 (39.4")	250	34	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
89	6390	RGL 40	1002 (39.4")	198,201	40	
90	6400	7 Saf 889	889 (35")	127	38	
91	6410	250/38	1000 (39.4")	250	38	
92	6420	G200 / 30-007	800 (31.5")	200	30	
93	6430	1035/5	1000 (39.4")	250	40	
94	6440	333/38	1000 (39.4")	333	38	
95	6450	Calaminon Curvo	1021 (40.2")	256.5 254	28	
96	6460	Nervesco 25/1085 B	1085 (42.7")	180.8	25	
97	6470	LG 28	1120 (44.1")	112	27.5	
98	6480	LG 40	1075 (42.3")	215	40	
99	6490	LG 38	920 (36.2")	184	37.5	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
100	6500	IBR Saf 686	686 (27")	171.5	36.5	
101	6510	MG-30/206 CM 30/1030	1030 (40.6")	206	32	
102	6520	MBS 20 PTP	1100 (43.3")	137.5	18	
103	6530	MBS PTA 45	900 (35.4")	150	45	
104	6540	125/30	1000 (39.4")	125	30	
105	6550	TR-4 1000	1000 (39.4")	333.3	45	
106	6560	207/35-902	828 (32.6")	270	35	
107	6570	ER-32/251	1006 (39.6")	251.1	32	
108	6580	SAF 760	760 (29.9")	190	28.5	
109	6590	UT-32	1000 (39.4")	200	31.5	
110	6600	Widek Saf 760	760 (29.9")	190	28.5	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
111	6610	Walters Panel	914 (36")	200	40	
112	6620	HV 3510/6	1000 (39.4")	250	39	
113	6630	FP20 wand	1088 (42.8")	300	35	
114	6640	KL-770	771 (30.4")	207	35	
115	6650	G200/40-070	1000 (39.4")	200	38	
116	6660	Brollo TD-5	1000 (39.4")	178	37	
117	6670	300/35	900 (35.4")	300	35	
118	6680	G207/35-097	1035 (40.7")	250	40	
119	6690	Sintostamp 200/38	1000 (39.4")	333.3	32	
120	6700	Superclad	890 (35")	200	34	
121	6710	5V-Crimp	610 (24")	609.6	12.7	











#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
122	6720	Roof & Wall	1000 (39.4")	250	40	
123	6730	Pennar Roof & Wall Panel	1000 (39.4")	333.3	32	
124	6740	CY34	1000 (39.4")	200	34	
125	6750	250/40-1058	1000 (39.4")	250	40	
126	6760	5-183-39B	915 (36")	183	39.5	
127	6770	AF-38/1025	1025 (40.4")	205	38	
128	6780	Greca Drain	923 (36.3")	76.2	11.1	
129	6790	AF-38/990	990(39")	165	38	
130	6800	Cindulit 180	702 (27.6")	175.5	34	
131	6810	Anborg 250/40	1000 (39.4")	250	40	
132	6820	4-33-1070	1070 (42.1")	267.5	32	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
133	6830	PL 4/46/1000	1000 (39.4")	250	46.3	
134	6840	1030.8.25	1030 (40.6")	128.75	25	
135	6850	Galagan 50/150	900 (35.4")	180	50	
136	6860	160/14 N	1120 (44.1")	160	14	
137	6870	Trapeze 333/40	1000 (39.4")	333	40	
138	6880	Trapeze 125/20	1000 (39.4")	125	20	
139	6890	Aceralia 30/209	1045 (41.1")	209	30	
140	6900	No.5 250/40	1000 (39.4")	250	40	
141	6910	G180/43-222	900 (35.4")	180	43	
142	6920	Pazko Profile	1008 (39.7")	201	24	
143	6930	Everdrain Panel	914 (36")	152	12	











#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
144	6940	Butler Rib II	900 (35.4")	300	38	
145	6950	Trapeze 32/250	1000 (39.4")	250	32	
146	6960	G115/17-153	1035 (40.7")	115	17	
147	6970	G138/17-02E	1100 (43.3")	137	18	
148	6980	G160/39-02D	960 (37.8")	160	39	
149	6990	3-305-96	915 (36")	305	96	
150	7000	Box Rib	762 (30")	152.5	38	
151	7010	Steel Rolling	1000 (39.4")	250	38	
152	7020	Longrib 1000R	1000 (39.4")	200	35	
153	7030	Trim Rib profile	760 (29.9")	190	29.5	
154	7040	Trapeze 18/115	1035 (40.7")	115	17	



#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
155	7050	HR3 Panel	1016 (40")	508	35	
156	7060	Behlen 12/1.5	915 (36")	304.8	30.2	
157	7070	KR Panel	1000 (39.4")	333.3	38	
158	7071	Skylight KR Panel	1000 (39.4")	333.3	32	
159	7080	Trapeze 124/30	990 (39")	123.75	30	
160	7090	Trepeze 180/50	900 (35.4")	152.5	38	
161	7100	Clearlight EP 1000-19	1000 (39.4")	250	19	
162	7110	KW Panel	1000 (39.4")	333.33	26.56	
163	7120	C20A	1000 (39.4")	137.5	17	
164	7130	SW-150	900 (35.4")	150	35	
165	7140	Guadeloupe 3.273.39	819 (32.2")	273	39	














#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
166	7150	112/27.5/1124	1000	112	27.5	
167	7160	Jl 106 Adaption	1000	250	60	
168	7170	G250/50-137	914.4 (36")	250	60	
169	7180	ATI 1	1040	143	34	
170	7190	LO-PRO 2.67	1008	67.5	12.7	
171	7200	Clearlight 1000-32	1025	200	32	
172	7210	45KD/1000	1001	333.3	45	
173	7220	Nucor Classic Wall Panel	914.4 (36")	200	31.6	
174	7230	Greca 80/20	1016 (40")	80	20	
175	7240	Metalco Lámina Rectangular	914.4 (36")	144	25	
176	7250	T35/205	1100	205	35	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
177	7260	TR 32X250	1100 (43.3")	250	33	
178	7270	Mitchel Architectural Panel	1025 (40.4")	304.8	38.1	
179	7280	Hi-Rib Panel	840 (33.1")	254	25.4	
180	7300	Val-Rib	914 (36")	228.6	19.1	
181	7310	MP-20	1045 (41.1")	137.5	17	
182	7320	C40 1025	900 (35.4")	205	40	
183	7330	30/210	400 (15.7")	210	30	
184	7340	30/206/1110	950 (37.4")	206	30	
185	7350	KLIPOK 700	700 (27.6")	233.3	43	
186	7360	30/209/1045	1000 (39.4")	209	30	
187	7370	40/300	900 (35.4")	190	39.5	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
188	7380	45/200/400	400 (15.7")	200	45	
189	7400	PRECOR TR6	950 (37.4")	190	39.5	
190	7430	TR-5	1025 (40.4")	256.2	33	
191	7440	45/971	970.8 (38.2")	323.7 323.4	45	
192	7450	P-1000-40	1000 (39.4")	250	40	
193	7460	35/207/1075	1035 (40.7")	207	35	
194	7470	Alexform	1000 (39.4")	250	38	
195	7480	Eurocover 40N	1023 (40.3")	341	39	
196	7490	CALAMINON GL-1000	1000 (39.4")	333.3	45	
197	7500	R38a	914.4 (36")	152.4	38	
198	7510	20/305	915 (36")	305	39.5	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
199	7520	38/125	1000 (39.4")	125	38	
200	7530	40/1020	1020 (40.1")	343 334	40	
201	7540	38/130	910 (35.8")	130	38	
202	7550	30/262	1048 (41.26")	262	30	
203	7560	31/200	1000 (39.4")	200	31	
204	7570	E-71	764 (30")	191	25	
205	7580	MOSCPRN5	900 (35.43")	300	38	
206	7590	36/250	1000 (39.4")	250	35	
207	7600	CL6-914	914.4 (36")	152.4	19	
208	7610	ASC R-PANEL PBL	914.4 (36")	304.8	31.7	
209	7620	Sinus 27/100	1000 (39.4")	100	27	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
210	7630	Kirby KSS600	644 (25.35")	675.6	55.1	
211	7640	6-175-25HB	1050 (41.33")	175	25	
212	7650	33.5/250	1000 (39.4")	250	33.5	
213	7660	200/44/1045	1000 (39.4")	200	44	
214	7670	38.4/250	1000 (39.4")	250	38.4	
215	7680	Teczone 32	1050 (41.33")	262.5	32	
216	7690	T20-79-1100	1100 (43.3")	16.5	16.5	
217	7700	PR Panel	900 (35.4")	300	31.7	
218	7710	T35-25W-1050	1050 (41.33")	175	30	
219	7720	T20	1113 (43.8")	159	18.5	
220	7730	CRIL HISPAN 500	500 (19.7")	250	35	









#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
221	7740	42/333	999 (39.33")	333	42	
22	7750	31.75/302.9/908.7	908.7 (35.78")	302.9	31.75	
223	7760	Phenix SSR 60/542	470 (18.5")		60	
224	7770	PTH-S	966 (38.03")	322	96	
225	7780	40/175/760	700 (27.56")	175	40	
226	7790	42 R-Panel	1028.7 (40.5")	275.2	25.4	
227	7800	Mighty Rib	914.4 (36")	275.2	30.4	
228	7810	Eurobase 56	950 (37.4")	237.5	56	
229	7820	MW52 32/1000	1000 (39.4")	200	32	
230	7830	137.5/17.5/1141	1100 (43.3")	137.5	17.5	
231	7840	25/142	993 (39.1")	142	25	









#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
232	7850	32/166.7/1081	1000.2 (39.37")	166.7	32	
233	7860	44/202	1010 (39.76")	202	44	
234	7870	Rigidal 6	900 (35.43")	150	32	
235	7880	27.5/112/1021	896 (35.27")	112	27.5	
236	7890	E-101 (25.4/140)	980 (38.58")	140 (5.51")	25.4 (1")	
237	7900	Supervic Pro 0360	760.9 (30")	253.6	19.1	
238	7910	Comintes Roof Top			69.5	
239	7920	Comintes Roof Side		126	15	
240	7930	S-8003		126	15	
241	7940	S-852		106	15	
242	7950	ASC Super Span	914.4 (36")	304.8	31.75 (25.57")	











#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
243	7960	K1-1700	999 (39.33")	131	15	
244	7970	K1-1754	995.7 (39.2")	131	15	
245	7980	Alutech Estructural	995.7 (39.2")	142.2	22.9	
246	7990	Alutech Millenia	990.6 (39")	330.2	37.34	
247	8000	KingKlip	700 (27.6")	233.3	42	
248	8010	28/196	980 (38.58")	196	28	
249	8020	40/250/1047	1000 (39.37")	250	40	
250	8030	Delta Rib II	609.6 (24")	203.2 (8")	20.65 0.11"	
251	8040	TR 55/250	1000 (39.37")	250	55	
252	8050	18/115 1063 R4	1035 (40.74")	115	18	
253	8060	25/275	1100 (43.30")	275	25	














#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
254	8070	Roof Deck 40/250	1067.8 (42")	250.1	40	
255	8080	29/208	1040 (41")	208	29	
256	8090	38/309	927 (36.5")	309	38	
257	8100	Mirplast	840 (33.1")	210	31	
258	8110	CM 40/200-1000	1000 (39.37")	200	40	
259	8120	Calaminon AL-106	902 (35.5")	451	118	
260	8130	50/30 /331/993	993 (39.1")	331	50	
261	8140	HT-40 (40/250)	1000 (39.37")	250	40	
262	8150	32/250	1000 (39.37")	250	32	
263	8160	TP-20D	1100 (43.3")	137.5	17	
264	8170	35/333.3	1000 (39.37")	333.33	35	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
265	8180	25/210	840 (33.1")	210	25	
266	8190	26/205	820 (32.3")	205	26	
267	8200	Penta	1000 (39.4")	250	40	
268	8201	Penta Modified	1000 (39.4")	250	40	
269	8210	5801 80/42/333	1000 (39.37")	333.3	80	
270	8220	Metroclad 16/210	840 (33.1")	210	16	
271	8230	ER 30/200	1000 (39.37")	200	30	
272	8240	INCO 30.5.Cubierta	1050 (41.33")	210	30	
273	8250	O-METALL 40.250.4	1000 (39.37")	250	40	
274	8260	O-METALL 45.333.3	1000 (39.37")	333	42	
275	8270	IT5 37/171.5	857.5 (33.75")	171.5	37	



SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
276	8280	BHC 37/330	330 (13")	330	37	
277	8290	AVIVA 60/300	900 (35.43")	300	39	
278	8300	Strong Panel	1000 (39.4")	267.5	25	
279	8310	Jl 35-207-1035R	1035 (40.74")	207	52	
280	8320	M 40/333	1000 (39.4")	333.3	36	
281	8330	M 32/207	1035 (40.74")	207	39	
282	8340	M 20/210	1050 (41.33")	210	19	
283	8350	Ridge-Cap 24/602	1204 (47.4")	602	23.8	
284	8360	IT-6 32/150	900 (35.43")	150	32	
285	8370	TN2/40 - 250/104	1000 (39.37")	250	40	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
286	8400	200/39	1000 (39.4")	200	39	
287	8500	Nervesco 4.25.1070	1070 (42.1")	267.5	25	
288	8600	MT-52	895 (35.2")	179	52	
289	8700	Calaminon Ti	1059 (41.7")	353	36	
290	8800	Polyarq	962.5 (37.9")	192.5	39	
291	8900	Extralit	719.5 (28.3")	143.9	24.6	
292	9000	McElroy Mesa Rib	914.4 (36")	228.6 (9")	18.6	
293	9100	KR-18	472 (18.6")	472	64	
294	9110	CyE Kr-18	472 (18.6")	179	38	
295	9200	T-100	990 (39")	330	30	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
296	9300	Barnmaster	812.8 (32")	203.2	11	
297	9400	R-101	1008 (39.7")	144	24.6	
298	9500	250-40	1000 (39.4")	250	40	
299	9600	U-Panel	914 (36")	152.4	18.7	
300	9700	Isolpack R/W 1000	1000 (39.4")	250	40	
301	9800	TR-7	870 (34.3")	144 145 146	38	
302	9900	Hertje Lumber	471 (18.5")	222.5 334.1 470.9	84.1	
303	9910	PC Ridgelight		612.9	41.5	
304	SunSky® 2.67	Sinus 67.8/22.25	814 (32")	67.8	22.2	
305	SunSky® 7.2	Trapeze 183/38	1097 (43.2")	250	38.1 (1.5")	
306	SunSky® 9	SunSky 9-a (March 2003)	914 (36")	228.6 (9")	19.05 (0.75")	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
307	SunSky® 12	Trapeze 12"/1 1/4"	914 (36")	304.8	31.8	
308	SunSky® Propanel	Trapeze 9"/5/8"	914 (36")	228.6 (9")	15.9 (0.63")	
309	American 2.6"	Sinus 67.8/20	949 (37.4")	67.8	20	
310	American 4.2"	Sinus 107/27	963 (37.9")	107	27	
311	Astoria	Trapeze 305/35.8	915 (36")	305	35.8	
312	Spandek	Trapeze 87.5/24	700 (27.6")	87.5	24	
313	Trimdek	Trapeze 190/27	1140 (44.9") 760 (29.9")	190	27	
314	Big 6	Sinus 146/48	1022 (40.2")	146	48	
315	Iscorit	Trapeze 333.3/38	1000 (39.4")	333.3	38	
316	Kirin	Trapeze 250/41	1000 (39.4")	250	41	
317	5,6 Wave	Sinus 177/51	708 (34.8") 885 (34.8") 1062 (41.8") 1062 (41.8")	177	51	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
318	Greca 70	Trapeze 70/18	1050 (41.3")	70	18	
319	Greca 75	Trapeze 75/19	900 (35.4")	75	19	
320	Greca 76	Trapeze 76/16	1824 (71.8") 1216 (47.9") 1216 (47.9") 1140 (44.9") 1064 (41.9") 1064 (41.9") 1064 (41.9") 988 (38.9") 760 (29.9") 608 (23.9") 532 (20.9")	76	16	
321	Greca 78	Trapeze 78/21	936 (36.9")	78	21	
322	Omega	76/15	1824 (71.8") 1824 (71.8") 1824 (71.8") 1216 (47.9") 1216 (47.9") 1216 (47.9") 1064 (41.9") 988 (38.9") 836 (32.9") 760 (29.9")	76	15	
323	Iron 76	Sinus 76/18	1216 (47.9") 1064 (41.9") 1064 (41.9") 1064 (41.9") 988 (38.9") 988 (38.9") 836 (32.9") 836 (32.9") 760 (29.9") 608 (23.9")	76	16	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
324	Sinus 130/30	Ethernit 5	910 (35.8")	130	30	
326	65/400	Pazdera 65/400	402 (15.8")	100	43	



All marketing materials and any content therewith provided by palram® are provided solely for the purpose of supporting and enhancing the marketing of Palram® products. These materials are protected by Palram's intellectual property rights and may not be used for any other purpose or in connection with the sale of products of any other manufacturer. These materials may not be transferred to or used by any third party without prior permission of Palram.



**PALRAM H.Q.**

Tel: +972 4 8459900  
Fax: +972 4 8444012  
palram@palram.com  
www.palram.com

**PALRAM EUROPE LTD.**

Tel: +44 1302 380777  
Fax: +44 1302 380778  
sales.europe@palram.com  
www.palram.com

**PALRAM AMERICAS**

Tel: 610 2859918  
Fax: 610 2859928  
palramamericas@palram.com  
www.palramamericas.com



71753 - 07/2014

In as much as Palram Industries has no control over the use to which others may put the material, it does not guarantee that the same results as those described herein will be obtained. Each user of the material should make his own tests to determine the material's suitability for his own particular use. Statements concerning possible or suggested uses of the materials described herein are not to be construed as constituting a license under any Palram Industries patent covering such use or as recommendations for use of such materials in the infringement of any patent. Palram Industries or its distributors cannot be held responsible for any losses incurred through incorrect installation of the material. In accordance with our company policy of continual product development you are advised to check with your local Palram Industries supplier to ensure that you have obtained the most up to date information.

©1997 Palram Industries Ltd. | SUNTUF and SunSky are registered trademarks of Palram Industries Ltd.

